

ROTARY MOWERS																			
TRACTOR											EQUIPMENT/ATTACHMENT	CODE	NUMBER	ATTACHMENT SERIAL NUMBER					
120 Tractor	140 Tractor (-22,400)	140 Tractor (22,401-46,500)	140 Tractor (46,501-)	300 Tractor (30,001-80,000)	312 Tractor (70,001-95,000)	316 Tractor (80,001-95,000)	314 Tractor (95,001-)	317 Tractor (95,001-)	318 Tractor (222,001-)	316 Tractor (285,001-)	330 Tractor (315,001-420,000)	332 Tractor (420,001-)	322 Tractor (475,001-)						
	P															41 Mower (H)		BM15177	(1001-2500)
P	P	P	P	P	P	P	P	P								41 Mower (A, H)	E0961	BM15506	(2501-3600)
P	P	P	P	P	P	P	P	P								41 Mower (A, H)	E0961	BM15752	(3601-40,000)
P	P	P	P	P	P	P	P	P								41 Mower (B, H)	0963M	BM15837	(40,001-)
									X	X	X	X	X			38-in. Mower (two spindle high performance) (G, J, G, H)	0665M	BM16600	(555,001-)
									P	P	P	P	P			38-in. Mower (two spindle) (F, I)	0664	BM16385	(525,001-555,000)
X	X	X	X	X	X	X	X	X	X	X	X	X	X			48 Mower (E, H, J)	N/A	BM17879	
P	P	P	P	P	P	P	P	P								46-in. Mower (A, D, E, F)	0595 and 1000	BM16225 and BM16231	(488,001-525,000)
									P	P	P	P	P			46-in. Mower (A, C, E, F)	0595 and 1001	BM16225 and BM16232	(488,001-525,000)
																46-in. Mower (A, D, E, F)	0596	BM16376	(525,001-)
X	X	X	X	X	X	X	X	X	X	X	X	X	X			48-in. Mower (E, I)		BM17879	(25001-)
P	P	P	P	P	P	P	P	P								50-in. Mower (A, D, E, G)	1011 and 1000	BM16280 and BM16231	(505,001-525,000)
									P	P	P	P	P			50-in. Mower (A, C, E, H)	1011 and 1001	BM16280 and BM16232	(525,001-)
X	X	X	X	X	X	X	X	X	X	X	X	X	X			50-in. Mower (A, D, E, G)	1013M	BM16377	(525,001-)
									X	X	X	X	X			50-in. 3-pt. Hitch Mower (B, G)	2671M	BM16315	(505,001-)
									P	P	P	P	P			260 3-pt. Hitch Mower (B)	2742M	BM16233	(488,001-)

Key: (X) - Attachment number can be ordered. (P) - Attachment number not available from factory but attachment can be built from parts stock.

Blank - Attachment not applicable to the machine.

(A) - 317's require M82718 belt.

(B) - Requires BM16219 3-point hitch and BM16245 or BM16238 or BM16675 2000 rpm rear PTO's.

(C) - Requires BM16232 for 315 (285001-), 318, 322, 330 and 332 Tractors. 322, 330 and 332 also require M89112 Belt.

(D) - Requires BM16231 all tractors (-222000) and all 314 Tractors. 322, 330 and 332 requires only M89112 Belt.

(E) - Earlier model 300 Series tractors [300, 312, 314, 316, 317 (30001-285000)] may require AM34056 and AM34057 rear draft place assemblies. Does not apply to 318 Tractors.

(F) - AM31100 low lift blade available.

(G) - M86209 standard lift blade and M76461 medium lift blade available.

(H) - See MIB-M-93-13 or DTAC Solution M9728. Mower will be shipped with rear draft arms and an M119872 belt required for 316 (SN 285,001-) and 318 Tractors. 330, 322 and 332 require M119871 belt. 317 requires one AM119485 attaching parts kit and M118790 belt. 120, 140, 300, 312, 314, (316 (SN 80,001-95,000)) require one AM119485 attaching parts kit and M82718 belt. If tractor is not currently equipped with a mower deck, see DTAC Solution M9728 for additional parts required.

(I) - AM103851 LH side and AM103852 RH rear mower lip kits are available.

120, 140, 300, 312, 314, 316, 318, 330, 322 and 332 Lawn and Garden Tractors
120, 140, 300, 312, 314, 316, 318, 330, 322 AND 332
LAWN AND GARDEN TRACTORS

MATERIAL COLLECTION SYSTEMS

TRACTOR												EQUIPMENT/ATTACHMENT	CODE	NUMBER	ATTACHMENT SERIAL NUMBER				
120 Tractor	140 Tractor (-22,400)	140 Tractor (22,401-46,500)	140 Tractor (46,501-)	300 Tractor (30,001-80,000)	312 Tractor (70,001-95,000)	316 Tractor (80,001-95,000)	314 Tractor (95,001-)	317 Tractor (95,001-)	318 Tractor (222,001-)	316 Tractor (285,001-)	322 Tractor (475,001-)	330 Tractor (315,001-420,000)	332 Tractor (420,001-)						
								X	X	X	X	X				6-1/2 bu. Rear Bagger (38-in. Mower) (I)	9005	BM16663	
								P	P	P	P	P				Tilt Dump Mat. Collect. Sys.	2661M	BM16294	(488,001-555,000)
								P	P	P	P	P				Hydraulic Dump MCS	2662M	BM16336	(488,001-555,000)
								X	X	X	X	X				6-1/2 bu. 2-Bag Power Flow (A)	2703M	BM16513	
								X	X	X	X	X				6-1/2 bu. 2-Bag Power Flow (A, G)	2704M	BM16667	
X	X	X	X	X	X	X	X									6-1/2 bu. 2-Bag Power Flow (A, B, H)	2701M	BM16511	
								X	X	X	X	X				3-Bag Power Pak MCS (A, C, D)	2710M	BM16449	
								X	X	X	X	X				Tilt Dump Power Pak MCS (D, E)	2664M	BM16656	(555,001-)
								X	X	X	X	X				Hyd. Dump Power Pak MCS (D, F)	2665M	BM16658	(555,001-)
								X	X	X	X	X				Rear Hydraulic Kit	3000	BM16654	
								P	P	P	P	P				Hopper Fill Reduction Kit		AM101231	
								X	X	X	X	X				19 Bu. MC519 Cart (J, K)	3300M	BM17424	

Key: (X) - Attachment number can be ordered. (P) - Attachment number not available from factory but attachment can be built from parts stock.

Blank - Attachment not applicable to the machine.

- (A) - Mowers must have hinged discharge chute. Skid shoes may need to be removed from mowers without front gauge wheels. When installing a power flow on a 1987 or prior 38-in. Mower (SN -575,000), a flexible, hinged mower discharge chute (AM104575) must be obtained.
- (B) - Power flow will not fit on Models 39 and 41 3-spindle mower decks.
- (C) - Requires BM16451 attaching parts.
- (D) - 6 hp Power Pak Blower (BM16448) and mower boots (BM16453-46 in., BM16454-50 in., BM16455-60 in.) are available.
- (E) - Small mesh screen (M89192) available.
- (F) - Small mesh screen (two M89191) available.
- (G) - Use discharge chute (BM16674) or the following parts: (1) M73715 chute, (1) M67099 strap, (1) M67100 hook, (1) 21H1356 screw, (2) 24H1722 washer, and (1) M63662 locknut, and blower assembly (BM16659-38-in., BM16456-46-in., BM19089-48-in., or BM16457-50-in.).
- (H) - For these applications, 2701M (Current Power Flow) for 100 Series tractors may be used. In addition, the following parts will be needed: (1) AM100009 mounting bracket, (Also order blower & chute for 46-in. mower (Model 48 was a 46-in. mower), (1) 14H812 3/8-in. nut, (1) 19H1731 3/8x1-in. bolt, (2) 19H1833 5/8x1-1/4-in. bolts, (2) 14H821 5/8-in. nuts.
- (I) - AM103541 Lower grass chute retainer strap for older baggers is available.
- (J) - M115521 Hitch Mounting Bracket required for MC519 SN 045,001- and above to attach on the following tractors: 316, 318, 322, 330. Bracket was included in older MC519's but was eliminated when the 400 Tractor hitch design was changed and bracket was no longer required for hookup.
- (K) - For 46-in. mower, use BM16456 Power Flow Blower and BM19695 Chute. For 50-in. mower, use BM16457 Power Flow Blower and BM19695 Chute.

SNOW THROWERS, BLOWERS AND BLADES

TRACTOR													EQUIPMENT/ATTACHMENT	CODE	NUMBER	ATTACHMENT NUMBER	SERIAL	
120 Tractor	140 Tractor (-22,400)	140 Tractor (22,401-46,500)	140 Tractor (46,501-)	300 Tractor (30,001-80,000)	312 Tractor (70,001-95,000)	316 Tractor (80,001-95,000)	314 Tractor (95,001-)	317 Tractor (95,001-)	318 Tractor (222,001-)	316 Tractor (285,001-)	322 Tractor (475,001-)	330 Tractor (315,001-420,000)						332 Tractor (420,001-)
P	P	P	P	P										49 Snow Thrower (A)	E0601	BM15146	(-3700)	
P	P	P	P	P										49 Snow Thrower (A)	E0601	BM15516	(3701-300,000)	
P	P	P	P	P	P	P	P	P	P	P	P	P	P	49 Snow Thrower (B) (C) (I)	G049	BM15845	(300,001-404,000)	
P	P	P	P	P	P	P	P	P	P	P	P	P	P	49 Snow Thrower (D) (E) (I)	G049	BM16002	(404,001-488,000)	
P	P	P	P	P	P	P	P	P	P	P	P	P	P	49 Snow Thrower (E) (F) (I)	0603M	BM16002	(488,001-)	
								X		X		X		46-in. Snow Thrower (K) (M))	1480M			
								X		X		X		46-in. Snow Thrower (K)	1481M			
								X		X		X		47-in. Snow Blower (G) (I) (J)	2752M	BM16227		
								X		X		X		47-in. 2-Stage Snow Blower (K) (L)	1470M			
								X		X		X		47-in. 2-Stage Snow Blower (K)	1471M			
P	P	P	P	P										54 Front Blade (H)	E0611	BM15147	(1001-100,000)	
X	X	X	X	X	X	X	X		X	X	X	X	X	54 Front Blade (H) (I)	0611M	BM15518	(100,001-)	
									X	X		X		54-in. Front Blade (K)	1490M			
P	P	P	P	P										54C Center Blade	E0721	BM15624	(1001-)	
P	P	P	P											Manual Angling Kit (for 54)		BM15148		
	X	X	X	X	X	X		X	X		X	X		Hydraulic Angling Kit (for 54)		BM15149		
			P	P										Hydraulic Angling Kit (for 54C)		AM15625		

Key: (X) - Attachment number can be ordered. (P) - Attachment number not available from factory; however, attachment might be able to be built from parts stock.

Blank - Attachment not applicable to the machine.

- (A) - Requires M49269 control rod bracket and relocating of chute control cables on 300 Tractors.
- (B) - Requires bending of spout control rod on 120 and 140 Tractors.
- (C) - 317, 318 require M82719 drive belt. 322, 330 and 332 require AM101613 Adapting Kit.
- (D) - 318 and 316 (twin-cylinder) Tractors require AM39601 adapting parts.
- (E) - 120, 140, 300, 312, 314, and 316 (single cylinder) require M42485 drive belt. 322, 330, and 332 require AM101613 adapting kit.
- (F) - 316 (477134-) and 318 (485762-) require AM106988 adapting parts with 49 Snow Throwers (488001-597700).
- (G) - 322 and 332 require M75746 drive belt.
- (H) - For 54 Front Blade, 300 Tractors (55001-80000) require AM36475 front hydraulic kit.
- (I) - Rockshaft cylinder lockout valve kit AM39614 and 29H1483 pipe nipple from (Parts) is recommended.
- (J) - M97930 blower shell side wear plates up to 3 per side are available.
- (K) - Requires appropriate Quik-Hitch and other bundles.
- (L) - Includes drive and upstop parts not appropriate for 300 Series tractors.

ROTARY TILLERS																							
TRACTOR																EQUIPMENT/ATTACHMENT	CODE	NUMBER	ATTACHMENT SERIAL NUMBER				
120 Tractor ()	120 Tractor (7501-)	140 Tractor ()	140 Tractor (30,001-46,500)	140 Tractor (46,501-)	300 Tractor (30,001-55,000)	300 Tractor (55,001-80,000)	312 Tractor (70,001-95,000)	316 Tractor (80,001-95,000)	314 Tractor (95,001-)	317 Tractor (95,001-)	318 Tractor (222,001-)	316 Tractor (285,001-)	322 Tractor (475,001-)	330 Tractor (315,001-420,000)	332 Tractor (420,001-)								
P	P	P	P	P	P	P														33 Tiller (A, B, C)	E0621	BM15155	(1001-100,000)
P	P	P	P	P	P	P														33 Tiller (A, B, F, D.)	E0621	BM15532	(100,001-300,000)
P	P	P	P	P	P	P	P	P	P	P										33 Tiller (E)	F033	BM15852	(300,001-)
P	P	P	P	P	P	P														8-in. Tine Extension		BM15156	
X	X	X	X	X	X	X	X	X	X	X										8-in. Tine Extension		BM15513	
										P	P	P	P	P						48-in. Tiller (I) (J) (K)	2901	BM16226	(488,001-505,001)
										X	X	X	X	X						48 Tiller (I) (J) (K)		BM16353	(505,001-)
										P	P	P	P	P						30-in. Hyd. Tiller	2681	BM16337	(505,001-525,000)
										X	X	X	X	X						30-in. Hyd. Tiller less attaching parts (G, L)	2682	BM16393	(525,001-)
										P	P	P	P	P						12-in. Tine Extension Kit (E, F)	9107	BM16338	
										X	X	X	X	X						12-in. Tine Extension Kit (F)	9120	BM16395	
<p>Key: (X) - Attachment number can be ordered. (P) - Attachment number not available from factory but attachment can be built from parts stock. Blank - Attachment not applicable to the machine.</p> <p>(A) - Adapter bundles are no longer available. (B) - 300 Tractors (30001 and above require BM15851 drive parts. (C) - Tillers (0300000 and below) require AM36197 on 300 Tractors. (D) - Requires BM15851 to attach to 317 Tractors. (E) - Transmission sight tube required. 300 Tractors (031758 and below) require newer style suction tube. Consult 33 Tiller Operator's Manual for these and other tractor requirement details. 120 and 140 Tractors (and below 35000) require hydrostatic PTO extension. (F) - For 30-in. Hydraulic Tillers. (G) - Requires BM16466 rear drive attaching parts or BM16393 mid-drive attaching parts. (H) - Requires M89007 shaft for use on Code 2682 Tillers. (I) - Not recommended for 316 Tractors (and below 420001) with 16 hp engine. (J) - May not perform well with 330 and 332 in some soil conditions due to power limitations. (K) - Tractor must be equipped with 2000 rpm rear PTO (BM16675) and 3-point hitch (BM16219). (L) - Transport latch available from (Parts); Order AM103641 link, M71820 latch hook, and two M40461 spring locking pins.</p>																							

WEIGHTS, TIRE CHAINS AND ADJUSTABLE WHEELS

TRACTOR													ATTACHMENT			ATTACHMENT NUMBER							
120	140	140	140	140	140	300	312	316	314	317	318	316	322	330	332								
Tractor	Tractor	Tractor	Tractor	Tractor	Tractor	Tractor	Tractor	Tractor	Tractor	Tractor	Tractor	Tractor	Tractor	Tractor	Tractor								
(-)	(-)	(-)	(-)	(-)	(-)	(-)	(
10,000	10,000	22,400	22,400	38,000	38,000	46,500	46,500	80,000	80,000	70	70	95,95	95,95	95,95	95,95	95,95	95,95	95,95	95,95	95,95	95,95		
10,001-22,400	10,001-22,400	22,401-38,000	22,401-38,000	38,001-46,500	38,001-46,500	46,501-	46,501-	30,001-80,000	30,001-80,000	100,001-100,000	100,001-100,000	100,001-100,000	100,001-100,000	100,001-100,000	100,001-100,000	100,001-100,000	100,001-100,000	100,001-100,000	100,001-100,000	100,001-100,000	100,001-100,000		
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X							Front End Weight	M11029
P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P							2 Front End Weights	BM15183
P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P							3 Front End Weights	BM15184
P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P							4 Front End Weights	BM15185
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X							Front Weight Bracket	BM15847
P	P	P	P																			Front Wheel Weights	BM15134
				X	X	X	X	X	X	X												Front Wheel Weights	BM15708
				P	P	P	P	P	P	P	P	P	P	P	P							Front Wheel Weights	BM16136
				X	X	X	X	X	X	X	X	X	X	X	X							Front Wheel Weights	AM104094
P	P	P	P																			2 Front Wheel Weights	BM15180
				P	P	P	P	P	P	P												2 Front Wheel Weights	BM15709
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X							Rear Wheel Weights	AM104092
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X							Rear Wheel Weights (Plastic)	AM104097
P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P							Rear Wheel Weights	BM15021
P		P	P	P	P	P	P	P	P													2 Rear Wheel Weights	BM15181
P		P	P	P	P	P	P	P	P													2 Rear Wheel Weights	BM15182
P	P	P	P	P	P	P	P	P	P													Rear Wheel Weight (Plastic)	BM16057
X	X	X	X	X	X		X	X														(8-12) Tire Chains	AM30969
P	P	P	P	P	P	P	P	P	P													(10.50-12) Tire Chains	TY15956
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X							(10.50-12) Tire Chains	TY15845
P	P	P	P	P																		Adjustable Rear Wheels	BM15527
P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P							Rear Wheel Weight (Plastic)	BM16239
										P	P	P	P	P								Front Quik-Tatch Weight Bracket	BM16242
										X	X	X	X	X								Front Quik-Tatch Weight Bracket	BM16326
										X	X	X	X	X								Rear Quik-Tatch Weight Bracket	BM16243
										X	X	X	X	X								Rear Quik-Tatch Weight Bracket (3-pt.)	BM16244
										X	X	X	X	X								Quik-Tatch Weight	R66949

Key: (X) - Attachment number can be ordered. (P) - Attachment number not available from factory but attachment can be built from parts stock.
 Blank - Attachment not applicable to the machine.

