ATTACHMENT

SERIAL NUMBER

(525,001-)

(325,001-

NUMBER

BM15797

AM101352

BM16229

BM16373

BM16233

BM16281

BM16315

BM & SKU17205

SKU20690 BM & SKU 17206

SKU20688

BM & SKU17220

SKU20691

BM17868

BM19868

BM17869

BM20827

BM17878

BM20962

BM19894

BM20985

BM20986

CODE

H060

0272

0273

2742

1012M

2671M

Key: (X) - Attack	ment nu	mber c	an be c	ordere	d. (P)	- Attac	hmen	t numb	er not	avail	lable j	rom	facte	ory,	but attachment might be able to be built fro	m parts stock. Bla	nk - Attachment not applic	cable to the machine.
(A) - I	Requires I	3M16219		nt hitcl	n and I	BM16.	245(P)	2000	rpm re	ar PT	Э.								1

ROTARY MOWERS, MULCHING ATTACHMENTS AND LEAF BAGGING KITS

60 Rotary Mower (C)

60-in. Mid-Mount Mower (C)

60-in. Mid-Mount Mower (C)

260 3-pt. Hitch Mower (A) (C)

50-in. 3-point Hitch Mower (A)

54C, 54-in. Mid-Mount Mower 60-in. Mid-Mount Mower

62C, 62-in. Mid-Mount Mower

48-in. Tricycler Mulching Kit

54-in. Tricycler Mulching Kit

60-in. Tricycler Mulching Kit (D)

Leaf Bagging Kit (For 48C Mower)

Leaf Bagging Kit (For 54C Mower)

Leaf Bagging Kit (For 62C Mower)

48C Mulching Attachment

54C Mulching Attachment

62C Mulching Attachment

48C, 48-in, Mid-Mount Mower (E)

50-in. Mid-Mount Mower (B)

48-in. Mid-Mount Mower

54-in. Mid-Mount Mower

60-in. Mower for Model 400 Tractor (C)

EQUIPMENT/ATTACHMENT

TRACTOR

X475AWS Tractor (10,000-

X475 Tractor (10,000-)

X485AWS Tractor (10,000-

X495 Tractor (10,000-

X495AWS Tractor

X485 Tractor (10,000-)

XXXXXXXXXXX

XXXXXXXXXXX

XXXXXXXXX

XXXXXXXXXX

XXXXXXXXXXXX

XXXXXXXXXXXX

| X | X | X | X | X | X | X

X465AWS Tractor (10,000-

X465 Tractor (10,000-

455 Tractor (10,001-455 Tractor (20,001-455AWS Tractor (20,001-

425AWS Tractor (10,000-

445 Tractor (20,001-

445AWS Tractor

XXXXXXXXX

425 Tractor (10,000-

P P

P P

P P

P P

⁽B) - M86209 low lift blade and M76461 medium lift blade available.

⁽C) - M74175 high lift blade available.

⁽D) - Requires (3) M120389 mulching blades for use on 60 Rotary Mower and 400 Tractors.

⁽E) - The 48C Mower is not compatible with the X485 Special-Edition Tractor because it will interfere with the tractor front fenders.

													P	O۷	۷E	R	FL	O۷	۷I	MATERIAL COLLECTION SYSTEMS AND FRONT THATCHER			
							TF	RAC	СТС	OR										EQUIPMENT/ATTACHMENT	CODE	NUMBER	ATTACHMENT SN
400 Tractor (-222,000)	420 Tractor (425 Tractor (10,000-)	425AWS Tractor (10,000-	445 Tractor (10,000-)	445AWS Tractor (20.001-)	455 Tractor (10,001-)	455 Tractor (20,001-)	455AWS Tractor (20,001-)	X465 Tractor (10,000-)	X465AWS Tractor (10,000-)	X475 Tractor (10,000-)	X475AWS Tractor (10,000-)	X485 Tractor (10,000-)	X485AWS Tractor (10,000-)	X495 Tractor (10,000-)	X495AWS Tractor (10.000-)	X575 4WD Tractor (10,000-)	X585 4WD Tractor (10,000-)	X595 4WD Tractor (10,000-)				
	P P							Ė												Power Flow (50-in. Mower Only)	2703M	BM16513	
I	P																			Power Flow (50-in. Mower Only)	2704M	BM16667	
		P	P	P I	? P	P	P	P												2- Bag Power Flow-(A)	2707M	BM17335	
F	P	P	P	PI	? P	P	P	P	P	P	P	P	P							MC519 19 bu. Cart/Collection Sys. (A,D)	3300M	BM17424	
Σ	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	MC519 19 bu. Cart/Collection Sys. (A,D, B)	3300M	BM18774	
		P		PI			P					P	P	P	P	P	P	P	P	7-Bushel Hopper Assembly (A)		BM18902	
				PI			_													7-Bushel Hopper Assembly (A,G)		BM20457	
		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	7-Bushel, 2-Bag Hopper Assembly (A,I)		BM20780	
									X	X	X	X	X	X	X	X	X	X	X	14-Bushel, 3-Bag Hopper Assembly (A)		BM20671	
		X	X	X	X	X	X	X												Blower Assembly for 48-in. Side-Discharge Mower (C)		BM19089	
									X	X	X	X	X	X	X	X	X	X	X	48C Blower Assembly for 48C, 48-in. Convertible Mower (H)		BM20667	
									X	X	X	X	X	X	X	X	X	X	X	48 HP Adapter Kit for 48C, 48-in. Convertible Mower (H)		BM20976	
У	X																			Blower Assembly for 50-in. Side-Discharge Mower (C)		BM16457	
		X	X	X	X	X	X	X												Blower Assembly for 54-in. Side-Discharge Mower (C)		BM19090	
									X	X	X	X	X	X	X	X	X	X	X	54C Blower Assembly for 54C, 54-in. Convertible Mower		BM20668	
		X	X	X	X	X	X	X												Blower Assembly for 60-in. Side-Discharge Mower (C)		BM17488	
									X	X	X	X	X	X	X	X	X	X	X	62C Blower Assembly for 62C, 62-in. Convertible Mower		BM20669	
				X																Power Flow Chute for 7-Bushel Hopper Assembly for 48-, 50-, 54-in. Mowers		BM18851	
		X	X	X	X	X	X	X												Power Flow Chute for 7-Bushel Hopper Assembly for 48-, 50-, 54-in. Mowers		BM20988	
			l l						X	X										Power Flow Chute for 7-Bushel Hopper Assembly for 48C and 54C Mowers		BM20857	
			l l						X	X	X	X	X	X	X	X	X	X	X	Power Flow Chute for 3-Bag, 14-Bushel Hopper Assembly for 48C, 54C, 62C Mowers		BM20773	
F	P	P	P	P	P	P	P													Power Flow Chute for MC519 for 48-, 50-, 54-, 60-in. Mowers (Not for 48C Mower)		BM17576 & BM19695	
									X	X	X	X	X	X	X	X	X	X	X	Power Flow Chute for MC519 for 48C, 54C, 62C Mowers		BM20855	
		X	X	ХΣ	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	38-inch Front Thatcher (E,F)		TY13056	
Key:	(X)																			available from factory, but attachment might be able to be built from parts stock. Blank -	Attachment not		e machine.

- (B) X Series Tractors also require BM20919 Attaching Kit for MC519 and will use BM20855 Power Flow Chute.
- (C) Requires BM18851 Power Flow Chute for 7-Bushel Hopper Assembly or BM17576 Power Flow Chute for MC519. BM19089 and BM19090 Power Flows are compatible with 6-1/2 Bushel 2-Bag Bagger Hopper Assemblies using BM16674 discharge chute.
- (D) Requires appropriate Blower Assembly and Power Flow Chute see Blower Assemblies and Power Flow Chutes in this section. M115521 hitch mounting bracket required for MC519 (SN 045,001 and above) to attach on the following tractors: 316, 318, 322, 330, 420, 430, 425 two-wheel steer (SN -A040774) without 3-point hitch, 425 all wheel steer (SN -B040203) without 3-point hitch, 455 two-wheel steer (SN -B040203) C040507) without 3-point hitch, 455 all-wheel steer (SN -D040074) without 3-point hitch; this bracket was included in older MC519's but was eliminated when the 400 Tractor hitch design was changed and bracket was no longer required for hookup.
- (E) TY13036 8-inch Thatcher Tine Extension available for widths of 46- or 54-inches
- (F) Appropriate Thatcher Mounting Frame Required: 425, 445, 455 = BM17348; X400 and X500 = BM20853
- (G) Can be frame mounted to X Series, but cannot use with X Series Click-n-Go, 540 PTO or Receiver Hitch. Can be converted to new BM20780 7-bu. hopper with AM131590 Frame and BM20714 Click-n-Go.
- (H) BM20976 48 HP Adapter Kit is required to install a BM20667 HP Blower Assembly on an X Series 48C Mower Deck.
- BM20780 7-Bushel 2-Bag Hopper Assembly requires BM20714 Click-N-Go Brackets for installation.

⁽A) - Blower and discharge chute assembly required depending on mower.

	400
	Series
2	
. 001.00	X Series
	° Tractor

		Т	ΊLΊ	ΓD	UN	IP,	H١	/D	R/	٩U	LI	C I	DU	M	P	A١	ID	3-	BA	٩C	G POWER PAK MATERIAL COLLECTION SYSTEMS, MID-MOU	NT BLAD	E, FRONT	BLADE
																				T				ATTACHMENT
							TF	RAC	СТС	OR											EQUIPMENT/ATTACHMENT	CODE	NUMBER	SERIAL NUMBER
400 Tractor (-222,000)		425 Tractor (10,000-)	425AWS Tractor (10,000-	445 Tractor (10,000-)	445 Tractor (20.001-)	455 Tractor (10,001-)	455 Tractor (20,001-)	455AWS Tractor (20,001-)	X465 Tractor (10,000-)	X465AWS Tractor (10,000-)	X475 Tractor (10.000-)	X475AWS Tractor (10.000-)	X485 Tractor (10.000-)	X4854WS Tractor (10,000-)	X405 Tractor (10,000-)	A495 Ifactor (10,000-)	VEZE AWD Tractor (40,000)	X585 4WD Tractor (10,000.)	A363 4WD Hactor (10,000-)	X595 4WD Tractor (10,000-)				
P		7	7 '	4 /	7	4	4	7	-	1	+	+^	+-	+	+	+	+	+	+		Tilt-Dump Mat. Coll. Sys. (A)	2661M	BM16294	(488,001-)
	P		+	+	+	1				1	+	+	+	+	+	$^{+}$	+	+	+		Hyd. Dump MCS (A)	2662M	BM16336	(488,001-)
X	X	Χ :	X Z	X X	X	X	X	X							+	\dashv		T	$^{+}$	1	3-Bag Power Pack MCS (B,F,H)	2710M	BM16449	(, ,
	P														+	\dashv		T	$^{+}$	1	Tilt-Dump Power Pak MCS (C,F,H)	2664M	BM16656	(555,001-
		X :	X Z	X X	X	X	X	X							1	\top		T	1	1	Hyd. Dump Power Pak MCS (E,F,H)	2665M	BM16658	(555,001-
		X	X Z	X X	X	X	X	X							+	\dashv		T	$^{+}$	1	Remote Air Intake Kit for 5 hp Honda Engine used on Hyd. Dump and 3-Bag Power Pak		BM20582	(,,
P	-														+	\dashv		T	$^{+}$	1	Rear Hydraulic Kit		BM16330	
	X														+	\dashv		T	$^{+}$		Rear Hydraulic Kit	3002	BM16356	
	1	X	X X	X X	X	X	X	X		1	+	+	+	+	+	$^{+}$	+	+	+		Rear Hydraulic Kit		BM17939	
X	X				+					1	+	+	+	+	+	$^{+}$	+	+	+		Hopper Fill Reduction Kit		AM101231	
P P		H	-	\pm	+	✝				1	+	+	+	+	+	+	+	+	+		60-in. Leaf Cracker		BM22101	
	X	H	-	\pm	+	✝				1	+	+	+	+	+	+	+	+	+		Mower Transport Latch Kit (G)		AM39557	
P P		Р	P 1	P P	P	P	Р	Р		1	+	+	+	+	+	+	+	+	+		Hinged Discharge Chute (60-in. Mower)		BM16354	(Not Available)
- -	╁	Ħ	- 1	Ť	Ť	✝	Ť	Ė	X	1	X	\pm	X	+	Х		X	<u> </u>	7		60 in. Mid-Mount Blade	9700M	BM20784	()
P P	P	\vdash	_	_	+	\vdash					+	+	1	+	Ť	+	+	Ť	- -		56 Front Blade (J) (K)	U056	BM15839	
P P				-	+	1					+	+	+	+	+	+	-	+	+		54-in. Front Blade (I, J)	0042M	BM16246	
		Р	P 1	P P	P	P	Р	Р	Р	P	P	P	P	P) F)) [) I) 1		54-in. Front Blade (D)	1490M	BM17342	
-	+	X	X 3	XX	X	X	X	X	X	X	X	X	X	X	X	7 3	\ \ \ \ \	\ \ \ \ \	7 3	X	54-in. Front Blade (D)	1491M	BM20854	
-	+				+	+	1			+	+	+		+	+-	- 12	1	+	- -	-	- · · · · · · · · · · · · · · · · · · ·	1.71.1	31.120001	
-	-	\vdash	-	-	+	╁	\vdash	-		1	+	+	+	+	+	+	+	+	+	+				
	+	$\vdash \vdash$		-	+	\vdash					+	+	+	+	+	+	-	+	+	+				
+	+	H		+	+	╁	 				+	+	+	+	+	+	+	+	+	+		+		
Kev.	(X).	Atto	achn	nont	ทบท	iher	car	ı he	or	dore	od	(P)	- A	ttac	hn	10111	ทน	mha	er n	ot	t available from factory, but attachment might be able to be built from parts stock. Rlank -	Attachment no	annlicable to t	he machine

- (A) Requires AM100316 wiring harness for use on tractors (-285001) unless BM16245 2000 rpm PTO is used.
- (B) 6 hp Power Pak Blower (BM16448)(P) and Mower Boots (BM16453—46-in.), (BM16454—50-in.), (BM16455—60-in.) are available. Boot for 48- and 54-in. Mowers available from Peco.
- (C) Small mesh screen (M89192) available.
- (D) Requires appropriate Front Quick Hitch and bundles.
- (E) Small mesh screen (two M89191) available.
- (F) M86209 low lift blade and M76461 medium lift blade available.
- (G) Fits 50-in. mower.
- (H) For mounting on 425, 445, 455 Tractors, the following are required: (2) M124214 bracket, (4) 19M7285 capscrew (M12xM13), and (4) 14M7275 nuts.
- (I) 400 Tractor requires AM39526(P) conversion kit.
- (J) 430 Tractor requires BM16360 front implement mounting bracket.
- (K) 56 Front Blade can be used on 430 and 420 by using AM102947 support bracket, M85196 rod, and (2) B14203 retaining rings.

							;	SN	O١	W.	TH	IR	٥V	۷E	R,	S	NC	W	В	LOWER, ROTARY BROOM AND FRONT QUIC	K HITCH AND F	PTO SHAFTS	
							TF	RAC	CTC)R										EQUIPMENT/ATTACHMENT	CODE	NUMBER	ATTACH SER NUM
400 Tractor (-222,000) 420 Tractor (222,001-)	Tractor (425 Tractor (10,000-)	AWS (10,	445 Tractor (10,000- 20,001)	445 Tractor (20,001-)	455 Tractor (10,001- 20,001)	455 Tractor (20,001-)	455 Tractor AWS (20,001-)	X465 Tractor (10,000-)	X465AWS Tractor (10,000-)	X475 Tractor (10,000-)	X475AWS Tractor (10,000-)	X485 Tractor (10,000-)	X485AWS Tractor (10,000-)	_	X495AWS Tractor (10.000-)	X575 4WD Tractor (10,000-)	X585 4WD Tractor (10,000-)	X595 4WD Tractor (10,000-)				
P	7	7	4	7	7	7	7	7	`	^	^	^	^	<u> </u>	^	Ĥ	Ĥ	^	Ĥ	50 Snow Thrower	G050	BM15801	
P P	P			1	-										1					46-in. Snow Thrower (A, B)	0062M	BM16247	
P	P	P	P	P 1	P P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	46-in. Snow Thrower (E) (F)	1480M	BM17341	
P	P	P	P	P	P P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	46-in. Snow Thrower (E,G)	1481M	BM18168	
		X	X	X Z																46-in. Snow Thrower (E,I)	1482M	BM20846	
P P	P														İ					47-in. 2-Stage Snow Blower (A, B)	2753M	BM16228	
P	P	P	P	P 1	P P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	47-in. 2-Stage Snow Blower (E) (F)	1470M	BM17346	
	P		P			P					P	P	P	P	P	P	P	P	P	47-in. 2-Stage Snow Blower (E,G)	1471M	BM18167	
		X	X	X Z	X X	X	X	X	X	X		X								47-in. 2-Stage Snow Blower (E,I)	1473M	BM20847	
P	P														İ					246 Rotary Broom (E)	0782TY	BM22181	
P	P	P	P	P I	P P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	51-in. Rotary Broom (E, H, K)	1570M	BM17533	
P	P	P	P	P	P P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	51-in. Rotary Broom (E,K)	1571M	BM18169	
		X	X	X Z	X X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	51-in. Rotary Broom (E, C)	1572M	BM20851	
1									X	X	X	X	X	X	X	X	X	X	X	60-in. Rotary Broom (E, D,C)	3790M	BM20860	
		X	X	X Z	X X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	Front Quick Hitch (J)		BM17347	
1					1				X	X	X	X	X							Front Quick Hitch		BM19782	
1		X	X	X Z	X X	X	X	X	X	X	X	X	X							Angling Kit, Quick Hitch (J)		BM17650	
					1				X	X										Angling Kit, Quick Hitch		BM20837	
	1	1		-	1				X											Front Hitch and Angling Retrofit Kit		BM20979	
	1	X	X	X Z	XX	X	X								t	T	1			PTO, Mid-Front 2000 RPM		BM17330	
									P	P	P	P	P	P	P	P				PTO, 2WD, Mid-Front 2000 RPM		BM20652	
1	1	1		\exists	-	1						X								PTO, 2WD, Mid-Front 2000 RPM		BM20991	
+	1		1 1	\dashv		1								t	t	t		X	X	PTO, 4WD, Mid-Front 2000 RPM		BM20382	
Sev. 1	(X)	- At	ttach	men	t nu	nher	· ca	n he	or	den	ed	(P)	- A	ttac	hn	eni				t available from factory, but attachment might be able to be built f	om parts stock Blank		cable to the machine

- (A) 400 Tractor requires AM39526(P) conversion kit. 46-in. Snow Thrower also requires AM36610 drive shaft (same as used on 50-in. Snow Thrower).
- (B) 430 Tractor requires BM16359 front PTO extension and BM16360 front implement mounting bracket.
- (C) Requires BM20707 Drive Shaft Kit for use on X Series Tractor or 425-455 Tractors; BM19115 Drive Shaft Kit for use on 425-455.
- (D) Requires BM20626 Weldment Kit for use on X Series Tractors.
- (E) Requires appropriate Quick Hitch and bundles.
- (F) Includes drive and/or upstop parts not appropriate for 420 and 430 Tractors.
- (G) If used on X Series with BM17347 Front Hitch, requires BM20896 Hydraulic Retrofit Kit. If used on X Series with BM19782 Front Hitch, requires BM20896 Hydraulic Retrofit Kit and BM20708 Implement Drive and Upstop.
- (H) Includes drive and/or upstop parts not appropriate for 420 and 430 Tractors.
- (1) Use of 1473M 47-in. Snow Blower or 1482M 46-in. Snow Thrower on 425, 445, 455 requires BM20871 Implement Drive and Upstop and BM17347 Front Quick Hitch.
- (J) Use on X Series Tractors requires BM20979 Front Hitch and Angling Retrofit Kit. Angling applications require BM17650 or BM20837 Angling Kit. One BM20979 Kit will convert both a BM17347 Front Quick Hitch and BM17650 Angling Kit to fit X Series.
- (K) Use on X Series with either BM17347 or BM19782 Front Quick Hitch, will require modification per DTAC Solution M12148.

P					
1		EQUIPMENT/ATTACHMENT	CODE	NUMBER	ATTACHMENT SERIAL NUMBER
P P	X575 4WD Tractor (10,000-) X585 4WD Tractor (10,000-) X595 4WD Tractor (10,000-)				
PP		35 Rotary Tiller (A)	F035	BM15868	(-350,800)
	 	35A RotaryTiller (A)	F035	BM15917	(350,801-
		48-in. Rotary Tiller (B)	2961	BM16226	
	XXX	450 Rotary Tiller (I)	1560M	BM17631	
		450 Rotary Tiller (D)	1564M	LVB25361	
		647 Rotary Tiller (Requires LVB25545 Drive Shaft, X Series)	0200LV		
PP		30-in. Hydraulic Tiller	2682M	BM16392	(525,001-
	XXX	42-in. Hydraulic Tiller, Cat. 0 (E,G)	4390M	BM18838	(010,001-
		42-in. Hydraulic Tiller, Cat. 1 (E,H)	4391M	BM20750	(010,001-
P P	+++++	44 Loader (C)	0461TY	TY20041	, , ,
X X X X X	 	40 Loader (F)	1920M		
	XXX	45 Loader (F, J)	3990M	BW15040	
	XXX	7 cu. ft. Utility Cart		BM17572	
	XXX	10 cu. ft. Utility Cart		BM17573	
X X X X X X X X X X X X X X X X X X X		15 cu. ft. Utility Cart		BM17574	
		21 Utility Trailer		BM19434	
	 				
					
Key: (X) - Attachment number can be ordered. (P) - Attachment n					

- (A) Requires BM15840 3-point hitch to attach.
- (B) Requires BM16219 3-point hitch and 2000 rpm rear PTO.
- (C) 420 Tractor requires TY20043 mountings and TY20241 hydraulics. 430 Tractor requires TY20267 mountings and TY20291 hydraulics.
- (D) Requires BM20751 PTO Drive Shaft Kit for use on X Series Tractors. Requires BM20405 PTO Drive Shaft for use on 425-455.
- (E) For 425-455, if no mower deck, then AM124467 Drive Shaft required. For X Series tractors, if no mower deck, then AM132008 Drive Shaft required.
- (F) Tractor requires appropriate relief valve installed: 40 Loader = AM121248 and M121509 Control Lever; 45 Loader = BW15043 for X400s, BW15044 for X500s
- (G) X Series with a Cat. O 3-Point Hitch requires AM131906 Pump Bracket and AM131763 PTO Shaft. X Series with a Category 1 3-Point Hitch requires 1 AM131742 Lift Bracket, 2 M146160 Front Mast, 2 M146161Rear Mast, 1 M146162 Bushing, 1 19M7837 Bolt, 1 AM131906 Pump Bracket, 1 AM131763 PTO Shaft.
- (H) Use on 425-455 requires 1 AM124738 Lift Bracket, 2 M128806 Front Mast, 2 M128807 Rear Mast, 1 M131165 Pump Bracket, 2 M188183 Locking Rings, 2 24M7047 Washers, 2 45M7084 Drilled Pins, and 1 AM124466 PTO Shaft.
- (I) Use on X Series requires BM20751 PTO Drive Shaft and 3 M84971 Clipnuts.
- (J) The 45 Loader is not compatible with the X465 Tractor because the air-cooled engine shrouding interferes with leader mounting parts.

TRACTOR TRUNK, SPRAY	ER, TOW-BEHIND TOOLS, 3-POINT HITCH A	TTACHMENT	S	
TRACTOR	EQUIPMENT/ATTACHMENT	CODE	NUMBER	ATTACH- MENT SERIAL NUMBER
400 Tractor (-222,000) 420 Tractor (222,001-) 430 Tractor (222,001-) 425 Tractor (10,000-) 425 Tractor (10,000- 20,001) 445 Tractor (10,001- 20,001) 445 Tractor (20,001-) 455 Tractor (20,001-) 455 Tractor (10,001- 20,001) 455 Tractor (10,000-) X465 Tractor (10,000-) X465 Tractor (10,000-) X475 Tractor (10,000-) X485 Tractor (10,000-) X485 Tractor (10,000-) X495 Tractor (10,000-) X575 4WD Tractor (10,000-) X575 4WD Tractor (10,000-)				
	3 Cu. Ft. Tractor Trunk (A)		BM19793	
	3 Cu. Ft. Tractor Trunk (D)		BM20874	
	25 Gal. Sprayer Tractor Trunk (B,C)		BM19794	
P P P P P P P P P P P P P P P P P P P	15 Sprayer, with integral mounting (C)		BM22219	
P P P P P P P P P P	15 Sprayer, less mounting (C)		BM22367	
P P P P P P P P P P	Integral mounting for 15 Sprayer		BM22369	
	Wheel Kit for Sprayer		BM22355	(020 001 020 000)
P P P P P P P P P P	15 Gallon Sprayer (2-wheel) (C)		BM19472	(020,001-030,000)
	15 Gallon Sprayer (2-wheel) (C)		BM19478	(030,001-)
P P P P P P P P P P	25 Gallon Sprayer (2-wheel) (C)		BM18473	(020,001-030,000)
	25 Gallon Sprayer (2-wheel) (C)		BM19479	(030,001-)
P P P P P P P P P P	25 Gallon Portable Sprayer (No wheels) (C)		BM18474	(020,001-030,000)
	25 Gallon Portable Sprayer (No wheels) (C)		BM19490	(030,001-)
X X X X X X X X X X	40 Gal. Sprayer (2 wheels) (C)		BM20485	
	40 Gal. Sprayer, Cat. 1 (C)		BM20840	
	40-in. Tow-Behind Thatcherator (E)		BM19239	
	40-in. Tow-Behind Spiker Aerator	1	BM19240	
	40-in. Tow-Behind Plug Aerator		BM19241	
	48-in. Tow-Behind Plug Aerator	1	BM19845	
X X X X X X X X X X	40-in. Tow-Behind Aerator/Spreader 36-in. Tow-Behind Lawn Roller		BM19242 BM19243	
X X X X X X X X X X	75 lb. Spin Spreader	+	TY25010	
	125 lb. Spin Spreader	+	TY25010	
X X X X X X X X X X	175 lb. Spin Spreader	+	TY25012	
	60-in. Rear Blade, Cat. 1	+	BM20785	
	48-in. Box Scraper, Cat. 1	+	BM20772	
	Category 1 3-Point Hitch Plow, Single	+	BM20772 BM20916	
	Category 1 3-Point Hitch Harrow Disk	+	BM20917	
	Category 1 3-1 oint Fitch Cultivator	+	BM20917	
	Category 1.5.1 onit friteir Cultivator	+	DIVI20710	
Key: (X) - Attachment number can be ordered. (P) - Attachment number not availa	ble from factory, but attachment might be able to be built from pa	rts stock. Blank - Att	achment not applicab	le to the machine.

⁽A) - 420, 430 require BM19840 Tractor Trunk mounting parts. Not compatible with 3-Point Hitch Rockshaft.

⁽B) - Requires BM19793 or BM20874 3 Cu. Ft. Tractor Trunk.

⁽C) - Tractor must have 12-volt battery and charging system and AM105666 wiring harness extension for 425, 445, 455 and X Series Tractors.

⁽D) - Use on 425-455 and X Series requires BM20714 Click-n-Go system. Not compatible with 3-Point Hitch Rockshaft.

⁽E) - TY13036 Thatcher Tine Extension available for 48-in. and 56-in. widths.

																					WEIGHTS	
							Т	RA	СТ	OR	2										ATTACHMENT	ATTACHMENT NUMBER
(222,001-	(-10019	(10,000-) WS (10,000-)	,000-20,001)	001-20.001)	001-)	S (20,001-)	ŏ	or (10,000-)	10,000-)	or (10,000-)	10,000-)	or (10,000-)	10,000-)	or (10,000-)	or (10,000-)	tor (10,000-)	Tractor (10,000-)					
400 Tractor (Tractor (2	425 Tractor (10	445 Tractor (10,000-20,001)	445AWS Tractor	455 Tractor (20,001-	455 Tractor AWS (20,001-	X465 Tractor (10	X465AWS Tract	X475 Tractor (10,000-	X475AWS Tractor (10,	X485 Tractor (X485AWS Tractor (10,000-	X495 Tractor (X495AWS Tract	X575 4WD Tractor (10,000-)	4WD	X595 4WD Tract					DV15072
P P		_	1		<u> </u>													_			Front Weight Bracket	BM15863
	1	_	+		-		_	_	_	_							_	_	-	+	1 Front End Weight	M11029
P P	₽₽	_	+		-			_		_							_	_	-		2 Front End Weights 3 Front End Weights	BM15183 BM15184
P	₽₽	_	+		-			_		_							_	_	-		4 Front End Weights	BM15184 BM15185
) P	P	_	+	_																_	1 Rear Wheel Weight	AM104092 or BM15021
P		_	+	_																_	2 Rear Wheel Weights	BM15181
P			+		+-		-	_	-		_					_	_	_	-	+	4 Rear Wheel Weights	BM15182
)	Г		+		+-		-	_	-		_					_	_	_	-	+	Single Rear Wheel Weight Adapter	BM15842
,	\vdash	_	+	_																_	2 Rear Wheel Weights Adapter	BM15841
,	\vdash		+		+-		-	_	-		_					_	_	_	-	+	Rear Wheel Weight (Plastic)	BM16057
P	D		+		+-		-	_	-		_					_	_	_	-	+	Front Quik-Tatch Wt. Bracket	BM16037 BM16241
	X	_	++					_									_			-	Front Quik-Tatch Wt. Bracket Front Quik-Tatch Wt. Bracket	BM16327
Λ		y y	X 2	y y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	+	-		Front Quik-Tatch Wt. Bracket (9 Wts.) (A)	BM17938& BM20957
v	X	ΛΛ	Λ /	ΛΛ	. 1	Λ	Λ	Λ.	Λ.	Λ	Λ	Λ	Λ	Λ	Λ	Λ	Λ			-	Rear Quik-Tatch Wt. Bracket	BM16243
		v v	X 2	v v	v	v	v	v	v	v	v	v	v	v	v	v	v			-	Rear Quik-Tatch Wt. Bracket (3-pt. cat. 0 hitch required)	BM16243
- 1		XX			X		X				X		X			X	Y	+	+	+	Rear Quik-Tatch Wt. Bracket	BM17328
+		XX			X						X		X			X	Y	+	+	+	Rear Quik-Tatch Weight Bracket (Click-N-Go Brackets required)	BM20779
+		XX	X		_	_	_			X		_	X		X	X	v	+	-	-	Rear Ballast Box, 3-Point Hitch, cat. O (B)	TY20103
+	H	ΛΛ	1 11 1	Λ Λ	- /1		_	_	_	X		_	X	_	X	X	Y	+	+	+	Rear Ballast Box, 3-Point Hitch, Cat. 1 (3-pt. cat. 1 hitch required)	BW14313
-	╁	y y	- X	XX	X		X		_	X		X			_	X	X	+	+	+	Rear Ballast Box, Frame Mounted	WPGHB539
+	++	Λ	- A	Δ	/1						X						X	+	+	+	Rear Ballast Box, (Click-N-Go Brackets required)	BM20715
X	x	x x	X 2	x x	X	X	X	X	X	X	X	X	X	X	X	X	X	+	+		42 lb. Quik-Tatch Wt.	R66949
- 21		P P		P	71	P	41	41	21	-11	21	21		2 1	41		41	+	+		1 30 lb. Front Wheel Weight	BM17970 (Requires Mounting Hardware)
+			X		X		X	X	X	X	X	X	X	X			+	+	+		1 30 lb. Front Wheel Weight	BM17964
P		4 × /A		A A	P	21	21	41	41	22	2 h	11	11	4 1			\dashv	+	+	-	1 Rear Wheel Starter Weight, 72 lb. (Cast Iron)	M85343 and AM105580 (Hardware)
X		+		X	X	H	X	-	X	_	X		X		X	X	X	+	+		1 Rear Wheel Starter Weight, 72 lb. (Cast Iron) (C)	BM17973 (Requires Mounting Hardware)
P	P	+	++	-	11	H				{	4 %				4.1	4 %		+	+	+	1 Rear Wheel Weight (Cast Iron)	M11028 and AM105139 (Hardware)
X		XX	X 2	x x	X	X	X	X	X	X	X	X	X	X	X	X	X	+	+		1 50 lb. Rear Wheel Weight (Cast Iron) (C)	BM17972 (Requires Mounting Hardware)
P	P		111		11	41			- 1		- 1							+	+	+	1 Rear Wheel Weight (Plastic)	AM104097 or BM16239 (Hardware)
		X	X	X	X	H	X	+	X	_	X	_	X	-	X	X	X	+	+	+	1 50 lb. Wheel Weight (Plastic) (C)	BM17976
+			-11	- 1	11	H					X				4.1	X		+	+	+	1 Special-Edition Rear Wheel Weight Adapter (C)	BM21497
	₩		++	_	1	\vdash	-+	-	-+		4.2					4 2		-		+	2 Special Bullion Real Triber Treight Humpter (C)	D111217/1

⁽A) - Limits full hood opening of X Series by 3/4 in.

(B) - Can use with 425-455 and X Series by installing BM17327 Cat. O 3-Point Hitch.

(C) - X485, X585, and X595 Special-Edition Tractors require an additional BM21497 Special-Edition Rear Wheel Weight Adapter for each rear wheel on which weights are to be installed.

																									HI	TC	CH	ES	, 8	<u>& I</u>	РТО	
												Т	RA	СТ	OR																ATTACHMENT	ATTACHMENT NUMBER
400 Tractor (30,001-55,000) 400 Tractor (55,001-70,000)	400 Tractor (70,001-222,000)	420 Tractor (222,001-)	430 Tractor (285,001-)	425 Tractor (A10,001-32776)	425AWS Iractor (B10,001-51422)	425AWS Tractor (B031423-)	425 Tractor (40001-)	445 Tractor (C10,001-31361)	445 Tractor (A20,001-30004)	445 Tractor (C031362-)	445 Tractor (A030005-)	445 Tractor (40001-)	445AWS Tractor	455 Tractor (C10,001-C20001)	455 Tractor (20,001-)	455AWS Hactol (DZ0,001-	455 Hactor (CO31478-)	455AWS Iractor (D030385-)	X465 Tractor (10,000-)	X465AWS Tractor (10,000-)		X475AWS Tractor (10.000-)	X485 Tractor (10.000-)	1 5		X495 AMS Tractor (10,000)		X585 4WD Tractor (10,000-)	X505 4WD Tractor (10,000.)	A595 4WD Tractor (10,000-)		
P P	P	•	Ť	Ť	Ť	Ť	Ť	Ť	Ť	Ť	Ť	Ť	Ť	Ť	Ť		Ì	Ť	+	Ť		Ť			Ť	,,,	Ť	Ť	Ť		3-Point Hitch, Cat. 0	BM15840
		X	X																											1	3-Point Hitch, Cat. 0	BM16219
				ХΣ	X	X	X	X	X	X	X	X	X :	X	XX	X	()	ζ Σ	X	X	X	X	X	X	. X	Σ	X	X	. X	ζ 3	3-Point Hitch, Cat. 0	BM17327
																			P	P	P	P	P	P	P	P) P	P	P) (3-Point Hitch, Cat. I	BM20632
																			X	X	X	X	X	X	. X	. X	X	X	. X		3-Point Hitch, Cat. I	BM21263
																			X	X	X	X	X	X	. X	. X	X		. X		Alpha Hitch, Cat. 1, tractor side	BM20839
																			X	X	X	X	X	X	X	. X	X				Alpha Hitch, Cat. 1, implement side	BM20838
																			X	X	X	X	X	X	X	. X	X	X	. X	ζ.	Alpha Hitch Kit / Sprayer Adapter - X Series	BM21271
																			X	X	X	X	X	X	X	. X	X	X	. X	ζ.	Alpha Hitch Kit / Disk Adapter - X Series	BM21272
																			X	X	X	X	X	X	. X	. X	X	X	. X	(]	Rear Receiver Hitch	BM20877
P P	P																														840 RPM PTO (Rear)	BM15798
				XΣ	X	X	X	X	X	X	X	X	X	X	X X	X	()	ζ Σ	(4	540 RPM PTO Drive (Rear) (G)	BM18415
				P I)			P	P					P	P P	•															540 RPM PTO Drive (Rear)	BM17329
				XΣ	X	X	X	X	X	X	X	X	X	X	XΣ	X	()	ζ Σ	(540 Rear PTO Stub Shaft Kit (A)	BM17757
		P	P										T																	2	2000 RPM Rear PTO (D)	BM16245
		P	P																												2000 RPM Rear PTO (E)	BM16328
		P																													543 PTO (Front) (C, F)	BM15915
P P	P	P	P																												540 RPM PTO, Front, for 420 (B, F)	BM16278
																			X	X	X	X	X	X	X	X	X	X	X		540 RPM PTO, Rear	BM20633
P																															PTO Idler Arm Conversion	AM36581
		P			P			P		P				P		P															Draw Bar	M84853
		X	X	XΣ	X	X	X	X	X	X	X	X	X	X	X X	X	$\langle \ \ \rangle$	ζ Σ	X		X			X		_	X	X	X		Draw Bar	M124202
													\Box						X		X			_	_	_	X	_	_		Draw Bar for Receiver Hitch	BM19635
				XΣ	X	X	X	X	X	X	X	X	X	X	XΣ	X	$\langle \ \ \rangle$	XΣ	X	X	X	X	X	X	. X	X	X	X	X	(Click-N-Go Brackets (H)	BM20714
																														I		
																														I		
Key: (X) -	Att	tach	men	t nu	mbe	r cai	ı be	e or	dere	ed. (P) -	· Att	tack	ımen	t ni	ımb	eri	not a	ıvai	lab	le fi	com	fac	ctor	y, <i>t</i>	out a	itta	chn	nen	nt might be able to be built from parts stock. Blan	ik - Attachment not applicable to the machine.

- (A) Required by some Allied suppliers.
- (B) Will fit 400 Tractor by adding AM36610.
- (C) Will fit 420 and 430 Tractors only when portion of brace is cut away. Also requires AM39885 double U-joint coupler.
- (D) AM100315 wiring harness required for installing on tractors (285001-).
- (E) AM100316 wiring harness required for installing on tractors (-285000).
- (F) 430 Tractor requires BM16359 front PTO extension and BM16360 front implement mounting bracket.
- (G) BM18415 requires AM121071 PTO wiring harness to be compatible with pre-1995 tractors.
- (H) Installation of Click-n-Go brackets on 425-455 tractor requires longer carriage bolts and the PTO lever needs to be removed if 540 RPM PTO Kit is installed.

							٧	۷E	ΑT	HE	ER	ΕN	ICL	LOS	SU	RE	S,	C	۱В	S,	ΗY	'DI	RA	UI	LIC	S	, W	/H	ΕE	S AND	TIRES, TIRE CHAINS	S, WINCH, GR	ABI	LIGHT	
													TR	AC1	TOF	₹															ATTACHMENT	CODE		ATTACHMENT	Γ NUMBER
400 Tractor (30,001-55,000)	400 Iractor (55,001-70,000)	420 Tractor (70,001-222,000)	430 Tractor (285,001-)	425 Tractor (A10,001-32776)	425AWS Tractor (B10,001-31422)	425 Iractor (A032777-)	425 Tractor (40001-	445 Tractor (C10.001-31361)	445 Tractor (A20,001-30004)	445 Tractor (C031362-)	445 Tractor (A030005-)	445 Tractor (40001-)	445AWS Tractor	455 Tractor (C10,001-C20001)	455 Iractor (20,001-)	455 Tractor (C031478-)	455AWS Tractor (D030385-)	455 Tractor (40001-	K465 Tractor (10,000-)	X465AWS Tractor (10,000-)	X475 Tractor (10,000-)	X475AWS Tractor (10,000-)	0	X485AWS Tractor (10,000-)	X495 Tractor (10,000-)	X495AWS Tractor (10,000-)	X575 4WD Tractor (10,000-)	K585 4WD Tractor (10,000-)	X595 4WD Tractor (10,000-)						
PI			7	7	7	'	'	+	1	7	7	7	7	7	+	+	7	-	^	`	^	^	^	^	^	^	^	^	^	Weather I	Enclosure			TY15	5083
	+	P	+			+		+	\dagger			H	- †		\top	+	+	\dagger					-							Weather I				TY15	
			P			_							-		1	\top		1												Weather I				TY15	
			+	Р	P]	P F	P	P	P	P	P	P	P	P F) P	P	P	P												Weather I				TY15	
					ΧX																									Weather I	Enclosure			TY16	5190
																			X	X	X	X	X	X	X	X	X	X	X	Weather I	Enclosure, Soft			BM20	0482
																			P				P		P	P	P	P	P	Cab, Soft	-Side Doors (ROPS)	9351M		BM20	0920
																			P	P	P	P	P	P	P	P	P	P	P		d-Side Doors (ROPS)	9350M		BM20	0488
																			X	X	X	X	X	X	X	X	X	X	X		-Side Doors (ROPS)	9353M (D)			
																			X	X	X	X	X	X	X	X	X	X	X		d-Side Doors (ROPS)	9352M (E)			
																			X	X	X	X	X	X	X	X	X	X	X		Heater Update Kit (F)			BM2	
																			X	X	X	X	X	X	X	X	X	X	X		r Hard and Soft Cabs			BM20	
X	X	X	. X																												Cylinder and Lines (A)			AM30	6521
X	X	X	. X																											Hydraulio	Cylinder and Lines (A)			AM3:	5851
					X																X										Coupler Kit (C)			BM17	
				X	XΣ	XΣ	X												X	X	X	X									Coupler Kit			BM20	
				X	XΣ	XΣ	X	X	X	X	X	X	X Z	XΣ	XΣ	X	X	X													Cylinder Lockout Valve			AM11	
																			X	X	X	X	X	X	X	X	X	X	X		Cylinder Lockout Valve			AM13	
P :	P P																														0-12 Rear Turf Tires & Whee			BM1:	
			P						<u> </u>									<u> </u>													0-12 Rear Turf Tires & Whee	els		BM16236 or BM16	
P 1	P P								<u> </u>									<u> </u>													0-12 Bar Tires & Wheels			BM1:	
		P	P	Ш		┵		_	L	L					\perp		┸	<u> </u>													0-12 Bar Tires & Wheels			BM16235 or BM16	
					XΣ					_						_	X	<u> </u>													ns (23x8.50-12)			TY15	
				X			X	_	X	_		_	_	XΣ		X															ns (23x10.50-12) (B)			TY15	
				X	X X	XΣ	X	. X	X	X	X	X	X	XΣ	XΣ	X	X	X		L		J				J				Wheel Sp				BM18	
	_	Ļ	Ļ	Ш		_			<u> </u>			Ш				_		<u> </u>		X		X		X		X					ns (26x10.50-12)			TY25	
P I				Ш		_		Ļ	<u> </u>	L.		Ļ		.	\bot	J.	\perp	L.	L.						J	J	J				ns (26x12-12)			AM3:	
X Z	XΣ	ίX	X			_		X	<u> </u>	X		X	[-	ХУ	X	X		X		X			X		X		X	X	X		ns (26x12-12)			TY15	
			_	Ш		_			<u> </u>			Ш				_		<u> </u>	X	X		X	X		X		X	X	X	Winch				BM20	
	_					_			<u> </u>									<u> </u>	X	X	X	X	X	X	X	X	X	X	X	Grab Lig	ht			BM2	1375
L						Ļ				Ļ	L						1_				لِـــا									1					
Key	: (X) - A	ttacı	nme	nt nu	ımb	er co	an b	e or	dere	ed. ((P) -	· Att	tachi	men	t nu	mbe	r no	ot a	aile	able	fro	m f	acte	ory,	bи	t att	tach	ıme	t might be a	ble to be built from parts stoc	k. Blank - Attachme	nt not	applicable to the m	iachine.

⁽A) - Required by some Allied suppliers.

⁽B) - AWS tractors require BM18021 wheel spacer kit when using 23x10.50-12 rear tires.

⁽C) - Instruction sheet in kit is for 425-455 Tractors.

⁽D) - Initial shipments include BM20920 Soft Cab and BM21510 Cab and Heater Update Kit. Later shipments include BM21481 Soft Cab, which includes the air handling improvements and does not require BM21510.

(E) - Initial shipments include BM20488 Hard Cab and BM21510 Cab and Heater Update Kit. Later shipments include BM21482 Hard Cab, which includes the air handling improvements and does not require BM21510.

⁽F) - BM21510 will improve 9350M Hard Cab and 9351M Soft Cab warmth by reducing air exchange rate in cab.

																				М	ISC	Έl	LL	ΑN	IEC	ΟU	S	ΑT	ACHMENTS	
												TR	AC	TO	R														ATTACHMENT	ATTACHMENT NUMBER
400 Tractor (30,001-55,000)	400 Tractor (55,001-70,000)	400 Iractor (70,001-222,000)	430 Tractor (285,001-)	425 Tractor (A10,001-32776)	425AWS Iract (B10,001-31422) 425 Tractor (A032777-)	425AWS Tractor (B031423-)	425 Tractor (40001-)	145 Tractor (C10,001-31361)	445 Tractor (C031362-)	445 Tractor (A030005-)	445 Tractor (40001-)	445AWS Tractor	455 Tractor (C10,001-C20001)	455 Tractor (20,001-)	455AWS Tractor (D20,001-)	455 MWS Tractor (D03038E-)	155 Tractor (40001-)	X465 Tractor (10.000-)	X465AWS Tractor (10,000-)	X475 Tractor (10,000-)	X475AWS Tractor (10,000-)	X485 Tractor (10,000-)	X485AWS Tractor (10,000-)	K495 Tractor (10,000-)	Tractor	A5/5 4WD Iractor (10,000-)	A585 4WD Iractor (10,000-)	X595 4WD Iractor (10,000-)		
		2	+	H	`		_	` `	+	Ť	Ì		`	`	+	۳	Ŧ	+							7	Ť	Ť	_	Spark Arresting Muffler (C)	AM37088
		P																											Spark Arresting Muffler	AM39607
				X	XX	X	X :	X X	X	X	X	X	X	X	X X	X	X												Spark Arresting Muffler Screen	AM115837
																		X	X	X	X	X	X .	X :	X X	ζ Σ	X 2	X	Spark Arresting Muffler Screen	AM108146
		P																											Heavy-Duty Air Cleaner	HE140-1911, -1912, -1913, HE520-948
P	P I	2																											Heavy-Duty Air Cleaner	AM36988
			X										X	X Z	X X	X	X							X :	X	T	2	X	Engine Coolant Heater (I)	AR87167
P																										T	T		Conversion Kit (A)	AM36576
P																T	T									T	T		Conversion Kit (B)	AM36579
X	X	X X	X	X	XX	X	X :	X X	X	X	X	X	X	X Z	X X	X	X	X	X	X	X	X	X	X :	X	T	T		Chrome Wheel Cover, Front, 8-in.	M42183
X				X																						T	T		Chrome Wheel Cover w/ JD logo, Front, 8-in.	M150362
																T	T								2	ζ Σ	X 2	X	Chrome Wheel Cover w/ JD logo, Front, 10-in.	M150363
X	X	X X	X	X	X		X	X X	X	X	X		X	X	Х		X	X		X		X		X	2	X 2	X 2	X	Chrome Wheel Cover, Rear, 12-in. (D, E)	M42184
X			X		X		Χ.			X			X		Х		X			X		X		X		X 2			Chrome Wheel Cover w/JD logo, Rear, 12-in. (D, E)	M150364
X	X	XX	X	X	XX		Χ.					X	X	X	X X		X	X	X	X	X	X	X	X .	X	1	1		Yellow Plastic Wheel Cover, Front, 8-in.	M96337
X	X	XX	X	X			X .													X	X	X	X	X :	X	1	1		Yellow Plastic Wheel Cover, Rear, 12-in. (D)	M114663
X	X					1 1								T			1							T		1	1		Transmission Oil Level Sight Tube	AM37021
		P				1 1								T			1							T		1	1		Deluxe Seat Suspension	AM105074
						1 1								T			1	X	X	X	X	X	X	X :	X X	X 2	X 2	X	Deluxe High-Back Seat (std. on Special-Edition) (J)	BM21490
		1		ГŤ										\exists		T					X				X X				Attaching Parts (for Deluxe High-Back Seat)	BM21332
X	X	X X	X	X	XX	X	X .	X X	X	X	X	X	X	X	X X	X	X							T		1	1		Tractor Cover	AM35333
			X			1 1								T			1							T		1	1		Tractor Cover	AM101737
				X	XX	X	X .	X X	X	X	X	X	X	X	X X	X	X							T		1	1		Economy Protective Cover	M131120
								X X																T		1	1		Professional Seat Suspension (F)	AM119495
П		1	1	X			Χ.		X					X	XX		_		1			T		1		T	T		Foam Professional Seat Suspension (H)	See parts below
P	P :	P				1 1								T			1							T		1	1		Foot Tread Kit	AM37232
P	P :	P				1 1								T			1							T		1	1		Lower Drive Shaft Shield Kit	AM38045
Ke	v: (X) - A	ttaci	hmen	t nun	nber	can	he o	rde	red.	(P)	- At	tacl	hmei	nt nı	ımb	err	ot a	vail	abl	e fro	m fe	acto	rv.	but	atta	ichi	nent	might be able to be built from parts stock. Blank - Attack	hment not applicable to the machine.

- (A) To convert 1975 hydrostatic control linkage to 1976.
- (B) To convert 1975 hood latch to 1976.
- (C) Tractors (-95000) also require AM36472 grille.
- (D) Will fit 420 (-315878) and 430 (-316574) Tractors only when wheels are in the wide position.
- (E) Will not fit all-wheel steer models; use plastic covers.
- (F) Only compatible with AM117489 seat.
- (G) For tractors (-595999).
- (H) For converting 425 Tractors with low-back seats on models prior to 1999. Also compatible with 445 and 455 Tractors. Requires (1) AM126865 Seat, (1) AM124426 Seat Switch, (1) M119978 Seat Pin (Pivot), (1) M127976 Seat Support, (2) M127973 Polyurethane Seat Springs, (1) M131124 Seat Adjust Rod, (2) M63200 Rivet (Seat Adjust Rod), (1) 11M7012 Cotter Pin, (1) 24M7028 Washer.
- (I) AR87167 Engine Coolant Heater requires AM100764 Adapter for 455; AM101390 Adapter for X495, X595.
- (J) BM21332 Attaching Parts are required for installing a Deluxe Seat on an X Series Tractor that is not a Special-Edition model.

MISCELLANEOUS ATTA	ACHMENTS	
TRACTOR	ATTACHMENT	ATTACHMENT NUMBER
400 Tractor (30,001-55,000) 400 Tractor (55,001-70,000) 400 Tractor (75,001-70,000) 420 Tractor (22,001-) 420 Tractor (22,001-) 425 Tractor (410,001-31422) 425 AWS Tractor (8031423-) 425 AWS Tractor (8031423-) 425 Tractor (40001-) 445 Tractor (40001-) 445 Tractor (40001-) 445 Tractor (A030005-) 445 Tractor (A030005-) 445 Tractor (A030005-) 445 Tractor (C031362-) 445 Tractor (A0001-) 445 Tractor (C031362-) 445 Tractor (C0,001-) 455 Tractor (10,000-) X465 Tractor (10,000-) X465 Tractor (10,000-) X475 Tractor (10,000-) X485 Tractor (10,000-) X575 4WD Tractor (10,000-) X558 4WD Tractor (10,000-) X595 4WD Tractor (10,000-)		
	Work Light Kit	BM17981
	Halogen Headlight Kit	BM17762
	Engine Air Restriction Indicator (G)	AM101453 and AT73678 or AT25983

- (A) To convert 1975 hydrostatic control linkage to 1976.
- (B) To convert 1975 hood latch to 1976.
- (C) Tractors (-95000) also require AM36472 grille.
- (D) Will fit 420 (-315878) and 430 (-316574) Tractors only when wheels are in the wide position.
- (E) Will not fit all-wheel steer models; use plastic covers.
- (F) Only compatible with AM117489 seat.
- (G) For tractors (-595999).
- (H) For converting 425 Tractors with low-back seats on models prior to 1999. Also compatible with 445 and 455 Tractors. Requires (1) AM126865 Seat, (1) AM124426 Seat Switch, (1) M119978 Seat Pin (Pivot), (1) M127976 Seat Support, (2) M127973 Polyurethane Seat Springs, (1) M131124 Seat Adjust Rod, (2) M63200 Rivet (Seat Adjust Rod), (1) 11M7012 Cotter Pin, (1) 24M7028 Washer.
- (I) AR87167 Engine Coolant Heater requires AM100764 Adapter for 455; AM101390 Adapter for X495, X595.
- (J) BM21332 Attaching Parts are required for installing a Deluxe Seat on an X Series Tractor that is not a Special-Edition model.